Subject Index

A

abdominal wall
Reconstruction of the anterior — — above the umbilicus using a tensor fasciae latae myocutaneous island flap. J. S. Watson, 334
abnormal appearance
Self-consciousness of disproportionate breast size: a primary psychological reaction to — —. D. Harris, 191
Accessory scrotum
— —: a case report. F. M. Tripathi & S. Khanna, 127
alar cartilage morseler
The — — —: a new instrument. F. Welsh, 483
anaesthetic
An — technique for cross-face nerve grafting. M. E. Ward & M. D. Poole, 51
The — management of patients undergoing free flap transfer. D. W. Robins, 231
anatomical basis
The — vascular — of the axillary fascio-cutaneous pedicled flap. G. C. Cormack & B. G. H. Lamberty, 425
anatomical observations
Some — — on the human placenta as applied to microvascular surgical practice. J. C. McGregor, F. J. Wyllie & K. M. Grigor, 387
angiography
The vascular features of plexiform neurofibroma with some observations on the importance of pre-operative — and the value of pre-operative intra-arterial embolisation. A. H. M. Littlewood & J. H. Stilwell, 501
antecubital
The — fascio-cutaneous flap. B. G. H. Lamberty & G. C. Cormack, 428
Aplasia cutis congenita
— — — of neck and shoulder requiring a skin graft: a case report. F. B. Bailie, 72
axillary
The anatomical vascular basis of the — fascio-cutaneous pedicled flap. G. C. Cormack & B. G. H. Lamberty, 425

B

Basal cell carcinoma
— — — arising in tattoos: a clinical report of two cases. M. J. Earley, 258
bipedicle flap
A — — in the correction of burn contractures. A. D. Dias, 56
blood flow
Differential thermometry as a monitor of — — in skin flaps. B. M. Jones, P. B. Dunscombe & R. M. Greenhalgh, 88
The isotope clearance technique for measuring skin — —. G. M. A. Young & J. W. Hopewell, 222
The effect of temperature on — — in island and free skin flaps: an experimental study. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 373
blood flow
The effect of blood viscosity on — — in the experimental saphenous flap model. A. M. Awwad, R. J. White, G. D. O. Lowe & C. D. Forbes, 383
Effect of naftidrofuryl oxalate (Praxilene) on — — in the experimental saphenous flap model. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 460
blood viscosity
The effect of — — on blood flow in the experimental saphenous flap model. A. M. Awwad, R. J. White, G. D. O. Lowe & C. D. Forbes, 383
bone graft
Mandibular reconstruction by "simple" — —, T. A. Piggot & A. M. Logan, 9
Stress fracture of the iliac bone with subfascial femoral neuropathy: unusual complications at a — — donor site: case report. S. C. Guha & M. D. Poole, 305
An 11-year follow-up of the effects of early — — in infants born with complete clefts of the lip and palate. N. R. E. Robertson & A. Jolleys, 438
breast
Mammaplasty with retention of a lower central — segment. J. Reich, 196
Self-consciousness of disproportionate — size: a primary psychological reaction to abnormal appearance. D. Harris, 200
Mammaplasty: a technique of comprehensive correction of the ptotic —. L. C. Y. Ho & A. D. Pelly, 510
Recurrent cystosarcoma phylloides of —: extensive full thickness excision of chest wall with immediate repair using steel mesh and a latissimus dorsi myocutaneous flap. A. N. Mindikoğlu & K. Aktan, 519
buccal mucosa
Cartilaginous choristoma of — —: a case report. F. A. Sultani, S. O. Krolls & F. R. Heckler, 395
burn contractures
A bipedicle flap in the correction of — —. A. D. Dias, 56
The trapezoid flap for the correction of — scar —. A. D. Scotland & A. M. Morris, 291
buttock
One-stage reconstruction of a massive — and sacro-perineal defect with multiple myocutaneous flaps. Y. Maruyama & H. Nakajima, 116

C

cardiac surgery
Mediastinal cutaneous fistulae arising as a complication of major — —. H. R. Herrera, J. Mijangos, R. S. Weiner & M. E. Ginsburg, 421
cartilage
Otoplasty: something old, something new. Reconstruction of the external ear using fresh cadaver homograft ear — and a sternomastoid myocutaneous flap. G. Campbell, 262
Cartilaginous choristoma
— — of buccal mucosa: a case report. F. A. Sultani, S. O. Krolls & F. R. Heckler, 395

cervical oesophagus
Free jejunal transfer for reconstruction of the — — in children: a report of two cases. B. M. Jones & E. H. Gustavson, 162
cervico-humeral flap
Misconceptions regarding the — — —. B. G. H. Lamberty & G. C. Cormack, 60
chest wall
Recurrent cystosarcoma phylloides of breast: extensive full thickness excision of — — with immediate repair using steel mesh and a latissimus dorsi myocutaneous flap. A. N. Mindikoğlu & K. Aktan, 519
chin augmentation
— — with rhinoplasty: a tutorial dissertation. P. K. B. Davis, 204
circulatory monitor
Interstitial fluid pressure as a — — in skin flaps. B. M. Jones, R. Sanders & R. M. Greenhalgh, 358
cleft lip
The orbicularis oris muscle: a functional approach to its repair in the — —. P. J. Nicolau, 141
— — nose tip deformity: a tutorial dissertation. P. K. B. Davis, 200
An unusual "bilateral" — of the —. O. M. Fenton & E. H. Gustavson, 444
Median — —, polydactyly, syndactyly and toe anomalies in a non-Indian infant. M. N. Christophorou & P. Nicolaidou, 447
Secondary correction of the unilateral — — nose deformity. D. E. Tolhurst, 449
cleft lip and palate
A 6-year follow-up study of 155 children with — — — —. H. Schjelderup & G. E. Johnson, 154
An 11-year follow-up of the effects of early bone grafting in infants born with complete — of — — —. N. R. E. Robertson & A. Jolleys, 438
cleft palate
The assessment of middle ear function and hearing by tympanometry in children before and after early — — repair. M. A. Too-Chung, 295
Early — — repair completed before the age of 16 weeks: observations on a personal series of 100 children. S. N. Desai, 300
colour measurement
Monitoring skin flaps by — —. B. M. Jones, P. B. Dunscombe & R. M. Greenhalgh, 88
compression device
"Oyster splints": a new — — for the treatment of keloid scars of the ear. D. M. Mercer & D. M. M. Studd, 75
compound forearm transfer
Closure of a defect of the femur with a — free — — including both the radius and the ulna. R. C. Mixter & M. B. Wood, 470
crane-principle
The adaptation of the "— —" to vascularise a free lipo-dermal graft. R. Sanders & A. F. S. Flemming, 488
cross-face
Upper eyelid retraction treated by — — free muscle graft: case report. J-P. A. Nicolai & J. R. M. Cruysberg, 310
cross-facial nerve grafting
Long-term follow-up report on — — — — in the treatment of facial paralysis. A. Gary-Bobo & J. M. Fuentes, 48
An anaesthetic technique for — — — —. M. E. Ward & M. D. Poole, 51
cystosarcoma phylloides
Recurrent — — of breast: extensive full thickness excision of chest wall with immediate repair using steel mesh and a latissimus dorsi-myocutaneous flap. A. N. Mindikoğlu & K. Aktan, 519

D

De-epithelialised
— turn-over flaps for "salvage" operations. R. L. Thatte, L. D. Dhami & U. A. Patil, 178
— "turn-over" axial-pattern flaps in the lower extremity. R. L. Thatte, D. Patil & P. Talwar, 327
defect of the femur
Closure of a — — — — with a compound free forearm transfer including both the radius and the ulna. R. C. Mixter & M. B. Wood, 470
desmoid tumour
A multifocal extra-abdominal — —. R. Sanders, M. Bennett & J. N. Walton, 337
Differential thermometry
— — as a monitor of blood flow in skin flaps. B. M. Jones, P. B. Dunscombe & R. M. Greenhalgh, 88
Dog bites
— — of the face: a 15-year review. J. Palmer & M. Rees, 315
Doppler
Haemodynamics in microarterial stenosis: an experimental study in rats using the — technique. A. H. van Papendrecht, P. van Bemmelen & L. Nieuborg, 95
The use of the ultrasound — flowmeter in reconstructive microvascular surgery. B. M. Jones & R. M. Greenhalgh, 245
dressings
The ventilation of "boxing glove" — to reduce skin graft maceration. A. D. R. Batchelor, R. Burtles, A. B. Sutherland & A. C. H. Watson, 531

E

ear
Otoplasty: something old, something new. Reconstruction of the external — using fresh cadaver homograft — cartilage and a sternomastoid myocutaneous flap. G. Campbell, 262
The injured —: a review of 50 cases. A. F. Bardsley & D. M. Mercer, 466
early repair
The assessment of middle ear function and hearing by tympanometry in children before and after — cleft palate —. M. A. Too-Chung, 295
— cleft palate — completed before the age of 16 weeks: observations on a personal series of 100 children. S. N. Desai, 300
end-to-side microvascular anastomosis
Use of the Yarsagil aneurysmal clamp for — — — — —: an experimental study in rats. W. I. Wei, K. H. Lam & J. Wong, 363
Experimental
— microarterial grafts: freeze-dried allografts versus autografts. S. P. Chow, Y. C. So & C. W. Chan, 345
Use of the Yarsagil aneurysmal clamp for end-to-side microvascular anastomosis: an — study in rats. W. I. Wei, K. H. Lam & J. Wong, 363

Experimental
The effect of temperature on blood flow in island and free skin flaps: an — study. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 373.
The effect of blood viscosity on blood flow in the — saphenous flap model. A. M. Awwad, R. J. White, G. D. O. Lowe & C. D. Forbes, 383
Effect of naftidrofuryl oxalate (Praxilene) on blood flow in the — saphenous flap model. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 460
extra-abdominal
A multifocal — — desmoid tumour. R. Sanders, M. Bennett & J. N. Walton, 337
extra-anatomic graft
Latissimus dorsi myocutaneous free flap vascularised by an — — — in the lower limb following traumatic disruption of the popliteal artery. J. Fisher, S. Macht & T. A. Lange, 480
eyelid retraction
Upper — — treated by cross-face free muscle graft: case report. J-P. A. Nicolai & J. R. M. Cruysberg, 310

F

face
Dog bites of the —: a 15-year review. J. Palmer & M. Rees, 315
Total reconstruction of the burned —. The Bradshaw Lecture 1958. A. H. McIndoe, 410
facial paralysis
Long-term follow-up report on cross facial nerve grafting in the treatment of — —. A. Gary-Bobo & J. M. Fuentes, 48
facial trauma
Parotid duct transection associated with — —: experience with 10 cases. J. H. Stevenson, 81
fascio-cutaneous flap
The anatomical vascular basis of the axillary — — pedicled —. G. C. Cormack & B. G. H. Lamberty, 425
The antecubital — — —. B. G. H. Lamberty & G. C. Cormack, 428
femoral neuropathy
Stress fracture of the iliac bone with subfascial — —: unusual complications at a bone graft donor site: case report. S. C. Guha & M. D. Poole, 305
follow-up
Long term — — report on cross-facial nerve grafting in the treatment of facial paralysis. A. Gary-Bobo & J. M. Fuentes, 48
An 11-year — — of the effects of early bone grafting in infants born with complete clefts of the lip and palate. N. R. E. Robertson & A. Jolleys, 438
forehead flap
The — —: minimising the secondary defect by preservation of the frontalis muscle. A. G. Leonard, 322
free flap
Experience with the tensor fasciae latae — —. P. M. O'Hare, A. G. Leonard & M. D. Brennen, 98
A vascularised iliac musculo-periosteal — — transfer: a case report. T. Satoh, M. Tsuchiya & K. Harii, 109
Drilling the wall of an ossified cavity to transmit the vascular pedicle of a myocutaneous — —: case report. M. J. W. Rees, S. W. Sinclair & R. W. Hiles, 113
A — occipital hair-bearing — for reconstruction of the upper lip. R. L. Walton & J. Bunkis, 168
free flap
The anaesthetic management of patients undergoing — — transfer. D. W. Robins, 231
free graft
Upper eyelid retraction treated by cross-face — muscle —: case report. J-P. A. Nicolai & J. R. M. Cruysberg, 310
— — neo-vascularisation: case report. K. O. Rothaus & R. D. Acland, 348
The effect of temperature on blood flow in island and — skin —: an experimental study. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 373
Free jejunal transfer
for reconstruction of the cervical oesophagus in children: a report of two cases. B. M. Jones & E. H. Gustavson, 162
frontalis muscle
The forehead flap: minimising the secondary defect by preservation of the — —. A. G. Leonard, 322

G

gastrocnemius flap
Inferiorly-based — muscle — in the treatment of war wounds of the middle and lower third of the leg. A. H. Bashir, 307
gluteal defect
The use of vastus lateralis muscle flap to repair a — —. F. N. Abu Jamra, N. Afeiche & N. B. Sumrani, 319

H

Haemodynamics
— in microarterial stenosis: an experimental study in rats using the Doppler technique. A. H. van Papendrecht, P. van Bemmelen & L. Nieuborg, 95
hair-bearing
A free occipital — — flap for reconstruction of the upper lip. R. L. Walton & J. Bunkis, 168
hand surgery
The emergence of — — in the United Kingdom. The Gillies Memorial Lecture 1981. D. A. Campbell Reid, 278
harelipped
The — king: a pre-Colombian ceramic statue over 2000 years old. M. Orticochea, 392
homograft
Otoplasty: something old, something new. Reconstruction of the external ear using fresh cadaver — ear cartilage and a sternomastoid myocutaneous flap. G. Campbell, 262
human caudal appendage
The — — — (human tail). A. M. Baruchin, D. Mahler, D. J. Hauben & L. Rosenberg, 120
human placenta
Some anatomical observations on the — — as applied to microvascular surgical practice. J. C. McGregor, F. J. Wyllie & K. M. Grigor, 387

I

iliac bone
Stress fracture of the — — with subfascial femoral neuropathy: unusual complications at a bone graft donor site: case report. S. C. Guha & M. D. Poole, 305
infection
The medicinal leech and its use in plastic surgery: a possible cause for —. M. R. Whitlock, P. M. O'Hare, R. Sanders & N. C. Morrow, 240

Inferiorly-based
— — gastrocnemius muscle flap in the treatment of war wounds of the middle and lower third of the leg. A. H. Bashir, 307
Interstitial fluid pressure
— — — as a circulatory monitor in skin flaps. B. M. Jones, R. Sanders & R. M. Greenhalgh, 358
intra-arterial embolisation
The vascular features of plexiform neurofibroma with some observations on the importance of pre-operative angiography and the value of pre-operative — — —. A. H. M. Littlewood & J. H. Stilwell, 501
Intracranial complications
— — of rhinoplasty. D. R. Marshall & P. G. Slattery, 342
intramedullary
Evaluation of the patency of microvenous anastomoses by phlebography after — injection of contrast material. S. P. van Bemmelen, A. H. van Papendrecht & L. Nieuborg, 463
intra-oral
The radial forearm flap: a versatile method for — — reconstruction. D. S. Soutar, L. R. Scheker, N. S. B. Tanner & I. A. McGregor, 1
intravenous sedation
Regional analgesia combined with — — in major eyelid surgery: an alternative to induced hypotension. R. S. Neill, 29
island flap
Reconstruction of the anterior abdominal wall above the umbilicus using a tensor fasciae latae myocutaneous — —. J. S. Watson, 334
The effect of temperature on blood flow in — and free skin —: an experimental study. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 373
isotope clearance
The — — technique for measuring skin blood flow. C. M. A. Young & J. W. Hopewell, 222

K

keloid scars
"Oyster splints": a new compression device for the treatment of — — of the ear. D. M. Mercer & D. M. M. Studd, 75

L

laser
Q-switched ruby — treatment of black tattoos. W. H. Reid, P. J. McLeod, A. Ritchie & M. Ferguson-Pell, 455
latissimus dorsi-groin flap
The use of a combined — — — — as a direct flap for reconstruction of the upper extremity. J. Katsaros, D. Gilbert & R. Russell, 67
leeches
Avulsion of the scalp treated by microvascular repair: the use of — for post-operative decongestion. H. P. Henderson, B. Matti, A. G. Laing, S. Morelli & L. Sully, 235
The medicinal leech and its use in plastic surgery: A possible cause for infection. M. R. Whitlock, P. M. O'Hare, R. Sanders & N. C. Morrow, 240
leg
Inferiorly-based gastrocnemius muscle flap in the treatment of war wounds of the middle and lower third of the —. A. H. Bashir, 307
lipo-dermal graft
The adaptation of the "crane-principle" to vascularise a free — — —. R. Sanders & A. F. S. Flemming, 488
lower extremity
De-epithelialised "turn-over" axial-pattern flaps in the — —. R. L. Thatte, D. Patil & P. Talwar, 327
lower limb
The immediate mobilisation of patients with — — skin grafts: a clinical report, D. T. Sharpe, E. Cardoso & V. Baheti, 105
Latissimus dorsi myocutaneous free flap vascularised by an extra anatomic graft in the — — following traumatic disruption of the popliteal artery. J. Fisher, S. Macht & T. A. Lange, 480
lower lip
Reconstruction of the — —. I. A. McGregor, 40
lymphoedema
A successful operation for — using a myocutaneous flap as a "wick". S. Medgyesi, 64
Micro-lymphatic bypass in the treatment of — of the arm: case report of a new technique. L. C. Y. Ho & M. F. Lai, 350

M

maceration
The ventilation of "boxing glove" dressings to reduce skin graft —. A. D. R. Batchelor, R. Burtles, A. B. Sutherland & A. C. H. Watson, 531
Madelung's disease
Malignant degeneration in — — (benign lipomatosis of the neck): case report. C. Tizian, A. Berger & K. F. Vykoupil, 187
magnification
Comparison of microscope and loupe —: assistance for the repair of median and ulnar nerves. D. S. McManamny, 367
major eyelid surgery
Regional analgesia combined with intravenous sedation in — — —: an alternative to induced hypotension. R. S. Neill, 29
male breast
Paraffinoma of the — —: a case report. S. P. J. Kay & M. N. Saad, 522
Malignant degeneration
— — in Madelung's disease (benign lipomatosis of the neck): case report. C. Tizian, A. Berger & K. F. Vykoupil, 187
malignant melanoma
Rectangular excision for — —. A. G. Batchelor, D. M. Evans & S. Shankar, 176
Mammaplasty
— with retention of a lower central breast segment. J. Reich, 196
—: a technique of comprehensive correction of the ptotic breast. L. C. Y. Ho & A. D. Pelly, 510
mandible
Reconstruction of the zygoma, temporo mandibular joint and — using a compound pectoralis major osteo-muscular flap. N. F. Jones & B. C. Sommerlad, 491

mandibular prognathism
Surgical correction of — — with a functionally stable osteosynthesis of the mandibular body. L. M. Cestelyn & E. Akuamoa—Boateng, 16
Mandibular reconstruction
— — by "simple" bone graft. T. A. Piggot & A. M. Logan, 9
maxillectomy
Reconstruction of the floor of the orbit following a subtotal — by transposition of the septal wall as a local flap. S. O. Siemssen & S. J. Siemssen, 498
median and ulnar nerves
Comparison of microscope and loupe magnification: assistance for the repair of — — — —. D. S. McManamny, 367
Mediastinal fistulae
— cutaneous — arising as complications of major cardiac surgery. H. R. Herrera, J. Mijangos, R. S. Weiner & M. E. Ginsburg, 421
melanoma
Multiple primary — in pregnancy: a case report. D. G. Pennington, 260
Metastatic tumour
— — in the submandibular salivary gland. A. L. H. Moss, 79
microarterial
Haemodynamics in — stenosis: an experimental study in rats using the Doppler technique. A. H. van Papendrecht, P. van Bemmelen & L. Nieuborg, 95
Experimental — grafts: freeze dried allografts versus autografts. S. P. Chow, Y. C. So & C. W. Chan, 345
Micro-lymphatic bypass
— — — in the treatment of obstructive lymphoedema of the arm: case report of a new technique. L. C. Y. Ho & M. F. Lai, 350
Microphallic hypospadias
— —: testosterone therapy prior to surgical repair. H. Tsur, R. Shafir, J. Shachar & A. Eshkol, 398
microvascular
Avulsion of the scalp treated by — repair: the use of leeches for post-operative decongestion. H. P. Henderson, B. Matti, A. G. Laing, S. Morelli & L. Sully, 235
The use of the ultrasound Doppler flowmeter in reconstructive — surgery. B. M. Jones & R. M. Greenhalgh, 245
Use of the Yarsagil aneurysmal clamp for end-to-side — anastomosis: an experimental study in rats. W. I. Wei, K. H. Lam & J. Wong, 363
Some anatomical observations on the human placenta as applied to — surgical practice. J. C. McGregor, F. J. Wyllie & K. M. Grigor, 387
microsurgery
A new suction-irrigation device: uses in — and plastic surgery. D. M. Evans, B. Weightman & G. Deane, 273
microvenous anastomoses
Evaluation of the patency of — — by phlebography after intramedullary injection of contrast material. S. P. van Bemmelen, A. H. van Papendrecht & L. Nieuborg, 463
middle ear
The assessment of — — function and hearing by tympanometry in children before and after early cleft palate repair. M. A. Too-Chung, 295
muscle
The orbicularis oris —: a functional approach to its repair in the cleft lip. P. J. Nicolau, 141
muscle
Upper eyelid retraction treated by cross-face free — graft: case report. J-P. A. Nicolai & J. R. M. Cruysberg, 310
muscle flap
The use of vastus lateralis — — to repair a gluteal defect. F. N. Abu Jamra, N. Afeiche & N. B. Sumrani, 319
Musculocutaneous flap
History of the discovery of the — — method as a universal and immediate substitute for the method of delay. M. Orticochea, 524
musculo-periosteal
A vascularised iliac — — free flap transfer: a case report. T. Satoh, M. Tsuchiya & K. Harii, 109
myocutaneous flap
Reconstruction of the posterior wall of the pharynx using a — platysma —. C. S. Nieto, L. L. Gallego & J. C. G. Cortés, 36
A successful operation for lymphoedema using a — — as a "wick". S. Medgyesi, 64
Drilling the wall of an ossified cavity to transmit the vascular pedicle of a — free —: case report. M. J. W. Rees, S. W. Sinclair & R. W. Hiles, 113
One-stage reconstruction of a massive buttock and sacroperineal defect with multiple — —. Y. Maruyama & H. Nakajima, 116
The split sternocleidomastoid — —. G. E. Alvarez, J. T. Escamilla & A. Carranza, 183
Otoplasty: something old, something new. Reconstruction of the external ear using fresh cadaver homograft ear cartilage and a sternomastoid — —. G. Campbell, 262
Reconstruction of the anterior abdominal wall above the umbilicus using a tensor fasciae latae — island —. J. S. Watson, 334
Latissimus dorsi — free — vascularised by an extra-anatomic graft in the lower limb following traumatic disruption of the popliteal artery. J. Fisher, S. Macht & T. A. Lange, 480
Recurrent cystosarcoma phylloides of breast: extensive full thickness excision of chest wall with immediate repair using steel mesh and a latissimus dorsi — —. A. N. Mindikoğlu & K. Aktan, 519

N

naftidrofuryl oxalate
Effect of — — (Praxilene) on blood flow in the experimental saphenous flap model. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 460
neo-vascularisation
Free flap — —: case report. K. O. Rothaus & R. D. Acland, 348
new instrument
The alar cartilage morseler: a — —. F. Welsh, 483
nose
Cleft lip — tip deformity: a tutorial dissertation. P. K. B. Davis, 200
The bridge of the —: a tutorial dissertation. R. P. G. Sandon, 210
Inverted papilloma of the —: an unusual cause of a medial canthal mass. A. L. H. Moss, 254
Secondary correction of the unilateral cleft lip — deformity. D. E. Tolhurst, 449
A reversed-dermis Tagliacotian flap in the reconstruction of a badly burned —. A. Pakiam, 485

O

orbicularis oris
The — — muscle: a functional approach to its repair in the cleft lip. P. J. Nicolau, 141
orbit
Reconstruction of the floor of the — following subtotal maxillectomy by transposition of the septal wall as a local flap. S. O. Siemssen & S. J. Siemssen, 498
osteo-cutaneous forearm flap
Total thumb reconstruction: a one-stage reconstruction using an — — — —. E. Biemer and W. Stock, 52
osteo-muscular flap
Reconstruction of the zygoma, temporo-mandibular joint and mandible using a compound pectoralis major — — —. N. F. Jones & B. C. Sommerlad, 491
Otoplasty
—: something old, something new. Reconstruction of the external ear using fresh cadaver homograft ear cartilage and a sternomastoid myocutaneous flap. G. Campbell, 262

P

papilloma
Inverted — of the nose: an unusual cause of a medial canthal mass. A. L. H. Moss, 254
Paraffinoma
— of the male breast: a case report. S. P. J. Kay & M. N. Saad, 522
patency
Evaluation of the — of microvenous anastomoses by phlebography after intramedullary injection of contrast material. S. P. van Bemmelen, A. H. van Papendrecht & L. Nieuborg, 463
Parotid duct transection
— — — associated with facial trauma: experience with 10 cases. J. H. Stevenson, 81
pectoralis major
Reconstruction of the zygoma, temporo-mandibular joint and mandible using a compound — — osteo-muscular flap. N. F. Jones & B. C. Sommerlad, 491
Penoscrotal inversion
— — and its management. A. G. Laing, 124
pharynx
Reconstruction of the posterior wall of the — using a myocutaneous platysma flap. C. S. Nieto, L. L. Gallego & J. C. G. Cortés, 36
phlebography
Evaluation of the patency of microvenous anastomoses by — after intramedullary injection of contrast material. S. P. van Bemmelen, A. H. van Papendrecht & L. Nieuborg, 463
Pierre Robin syndrome
Incidence of the Robin Anomalad (— — —). P. G. Bush & A. J. Williams, 434
pinna
Squamous cell carcinoma of the —. E. Freedlander & F. F. Chung, 171
platysma flap
Reconstruction of the posterior wall of the pharynx using a myocutaneous — —. C. S. Nieto, L. L. Gallego & J. C. G. Cortés, 36
plexiform neurofibroma
The vascular features of — — with some observations on the importance of pre-operative angiography and the value of pre-operative intra-arterial embolisation. A. H. M. Littlewood & J. H. Stilwell, 501
polydactyly
Median cleft lip, —, syndactyly and toe anomalies in a non-Indian infant. M. N. Christophorou & P. Nicolaidou, 447
popliteal artery
Latissimus dorsi myocutaneous free flap vascularised by an extra-anatomic graft in the lower limb following traumatic disruption of the — —. J. Fisher, S. Macht & T. A. Lange, 480
Praxilene
Effect of naftidrofuryl oxalate (—) on blood flow in the experimental saphenous flap model. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 460
pre-Colombian ceramic statue
The harelipped king: a — — — over 2000 years old. M. Orticochea, 392
pregnancy
Multiple primary melanoma in —: a case report. D. G. Pennington, 260
preservation
The forehead flap: minimising the secondary defect by — of the frontalis muscle. A. G. Leonard, 322
pressure garment
A simple device to encourage the unwilling child to wear a — —. N. R. McLean & E. Warren, 529
psychological reaction
Self-consciousness of disproportionate breast size: a — — to abnormal appearance. D. Harris, 191
ptosis
The septum orbitale in — surgery. M. Nabil, M. O'Keefe, J. H. Romano & T. A. Casey, 507
Mammaplasty: a technique of comprehensive correction of the ptotic breast. L. C. Y. Ho & A. D. Pelly, 510

R

Reconstruction
— of the posterior wall of the pharynx using a myocutaneous platysma flap. C. S. Nieto, L. L. Gallego & J. C. G. Cortés, 36
— of the lower lip. I. A. McGregor, 40
Total thumb —: a one-stage reconstruction using an osteo-cutaneous forearm flap. E. Biemer & W. Stock, 52
The use of a combined latissimus dorsi-groin flap as a direct flap for — of the upper extremity. J. Katsaros, D. Gilbert & R. Russell, 67
One-stage — of a massive buttock and sacro-perineal defect with multiple myocutaneous flaps. Y. Maruyama & H. Nakajima, 116
Free jejunal transfer for — of the cervical oesophagus in children: a report of two cases. B. M. Jones & E. H. Gustavson, 162
A free occipital hair bearing flap for — of the upper lip. R. L. Walton & J. Bunkis, 168
Otoplasty: something old, something new. — of the external ear using fresh cadaver homograft ear cartilage and a sternomastoid myocutaneous flap. G. Campbell, 262

Reconstruction
— of the anterior abdominal wall above the umbilicus using a tensor fasciae latae myocutaneous island flap. J. S. Watson, 334
Total — of the burned face. The Bradshaw Lecture 1958. A. H. McIndoe, 410
A reversed-dermis Tagliacotian flap in the — of a badly burned nose. A. Pakiam, 485
— of the zygoma, temporo-mandibular joint and mandible using a compound pectoralis major osteo-muscular flap. N. F. Jones & B. C. Sommerlad, 491
— of the floor of the orbit following subtotal maxillectomy by transposition of the septal wall as a local flap. S. O. Siemssen & S. J. Siemssen, 498
radial forearm flap
The — — —: A versatile method of intra-oral reconstruction. D. S. Soutar, L. R. Scheker, N. S. B. Tanner & I. A. McGregor, 1
Rectangular excision
— — for malignant melanoma. A. G. Batchelor, D. M. Evans & S. Shankar, 176
Regional analgesia
— — combined with intravenous sedation in major eyelid surgery: an alternative to induced hypotension. R. S. Neill, 29
rhinoplasty
Chin augmentation with —: a tutorial dissertation. P. K. B. Davis, 204
Intracranial complications of —. D. R. Marshall & P. G. Slattery, 342
Robin Anomalad
Incidence of the — — (Pierre Robin syndrome). P. G. Bush & A. J. Williams, 434

S

sacro-perineal defect
One-stage reconstruction of a massive buttock and — — — with multiple myocutaneous flaps. Y. Maruyama & H. Nakajima, 116
salivary gland
Metastatic tumour in the submandibular — —. A. L. H. Moss, 79
saphenous flap
The effect of blood viscosity on blood flow in the experimental — — model. A. M. Awwad, R. J. White, G. D. O. Lowe & C. D. Forbes, 383
Effect of naftidrofuryl oxalate (Praxilene) on blood flow in the experimental — — model. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 460
scalp
Avulsion of the — treated by microvascular repair: the use of leeches for post-operative decongestion. H. P. Henderson, B. Matti, A. G. Laing, S. Morrelli & L. Sully, 235
Secondary correction
— — of the unilateral cleft lip nose deformity. D. E. Tolhurst, 449
septal wall
Reconstruction of the floor of the orbit following subtotal maxillectomy by transposition of the — — as a local flap. S. O. Siemssen & S. J. Siemssen, 498
septum orbitale
The — — in ptosis surgery. M. Nabil, M. O'Keefe, J. H. Romano & T. A. Casey, 507
skin flaps
Differential thermometry as a monitor of blood flow in — —. B. M. Jones, P. B. Dunscombe & R. M. Greenhalgh, 83
Monitoring — — by colour measurement. B. M. Jones, R. Sanders & R. M. Greenhalgh, 88
Interstitial fluid pressure as a circulatory monitor in — —. B. M. Jones, R. Sanders & R. M. Greenhalgh, 358
skin graft
Aplasia cutis congenita of neck and shoulder requiring a — —: a case report. F. B. Bailie, 72
The immediate mobilisation of patients with lower limb — —: a clinical report. D. T. Sharpe, E. Cardoso & V. Baheti, 105
The ventilation of "boxing glove" dressings to reduce — — maceration. A. D. R. Batchelor, R. Burtles, A. B. Sutherland & A. C. H. Watson, 531
Squamous cell carcinoma
— — — of the pinna. E. Freedlander & F. F. Chung, 171
squamous epithelioma
Self-healing — —: A family affair. I. T. Jackson, J. O'D. Alexander & C. N. Verheyden, 22
steel mesh
Recurrent cystosarcoma phylloides of breast: extensive full thickness excision of chest wall with immediate repair using — — and a latissimus dorsi myocutaneous flap. A. N. Mindikoğlu & K. Aktan, 519
sternocleidomastoid
The split — myocutaneous flap. G. E. Alvarez, J. T. Escamilla & A. Carranza, 183
sternomastoid
Otoplasty: something old, something new. Reconstruction of the external ear using fresh cadaver homograft ear cartilage and a — myocutaneous flap. G. Campbell, 262
Stress fracture
— — of the iliac bone with subfascial femoral neuropathy: unusual complications at a bone graft donor site: case report. S. C. Guha & M. D. Poole, 305
suction-irrigation
A new — — device: uses in microsurgery and plastic surgery. D. M. Evans, B. Weightman & G. Deane, 273
syndactyly
Median cleft lip, polydactyly, — and toe anomalies in a non-Indian infant. M. N. Christophorou & P. Nicolaidou, 447

T

Tagliacotian flap
A reversed-dermis — — in the reconstruction of a badly burned nose. A. Pakiam, 485
tattoos
Basal cell carcinoma arising in —: A clinical report of two cases. M. J. Early, 258
Q-switched ruby laser treatment of black —. W. H. Reid, P. J. McLeod, A. Ritchie & M. Ferguson-Pell, 455
temperature
The effect of — on blood flow in island and free skin flaps: an experimental study. A. M. Awwad, R. J. White, M. H. C. Webster & J. P. Vance, 373
temporo-mandibular joint
Reconstruction of the zygoma, — — — and mandible using a compound pectoralis major osteo-muscular flap. N. F. Jones & B. C. Sommerlad, 491

tensor fasciae latae
Experience with the — — — free flap. P. M. O'Hare, A. G. Leonard & M. D. Brennen, 98
Reconstruction of the anterior abdominal wall above the umbilicus using a — — — myocutaneous island flap. J. S. Watson, 334
testosterone
Microphallic hypospadias: — therapy prior to surgical repair. H. Tsur, R. Shafir, J. Shachar & A. Eshkol, 398
toe
Median cleft lip, polydactyly, syndactyly and — anomalies in a non-Indian infant. M. N. Christophorou & P. Nicolaidou, 447
trapezoid flap
The — — for the correction of burn scar contractures. A. D. Scotland & A. M. Morris, 291
turn-over flaps
De-epithelialised — — — for "salvage" operations. R. L. Thatte, L. D. Dhami & U. A. Patil, 178
De-epithelialised "— —" axial-pattern — in the lower extremity. R. L. Thatte, D. Patil & P. Talwar, 327
tympanometry
The assessment of middle ear function and hearing by — in children before and after cleft palate repair. M. A. Too-Chung, 295

U

ultrasound
The use of the — Doppler flowmeter in reconstructive microvascular surgery. B. M. Jones & R. M. Greenhalgh, 245
upper-extremity
The use of a latissimus dorsi-groin flap as a direct flap for reconstruction of the upper extremity. J. Katsaros, D. Gilbert & R. Russell, 67
upper lip
A free occipital hair-bearing flap for reconstruction of the — —. R. L. Walton & J. Bunkis, 168

V

vastus lateralis
The use of — — muscle flap to repair a gluteal defect. F. N. Abu Jamra, N. Afeiche & N. B. Sumrani, 319
ventilation
The — of "boxing glove" dressings to reduce skin graft maceration. A. D. R. Batchelor, R. Burtles, A. B. Sutherland & A. C. H. Watson, 531

W

war wounds
Inferiorly-based gastrocnemius muscle flap in the treatment of — — of the middle and lower third of the leg. A. H. Bashir, 307

Y

Yarsagil aneurysmal clamp
Use of the — — — for end-to-side microvascular anastomosis: an experimental study in rats. W. I. Wei, K. H. Lam & J. Wong, 363

Z

zygoma
Reconstruction of the —, temporo-mandibular joint and mandible using a compound pectoralis major osteo-muscular flap. N. F. Jones & B. C. Sommerlad, 491

Author Index

A

Abu Jamra, F. N., Afeiche, N. & Sumrani, N. B. The use of a vastus lateralis muscle flap to repair a gluteal defect, 319
Acland, R. D., jt. author. *See* Rothaus, K. O.
Afeiche, N., jt. author. *See* Abu Jamra, F. N.
Aktan, K., jt. author. *See* Mindikoğlu, A. N.
Akuamoa-Boateng, E., jt. author. *See* Cesteleyn, L. M.
Alexander, J. O'D., jt. author. *See* Jackson, I. T.
Alvarez, G. E., Escamilla, J. T. & Carranza, A. The split sternocleidomastoid myocutaneous flap, 183
Awwad, A. M., White, R. J., Webster, M. H. C. & Vance, J. P. The effect of temperature on blood flow in island and free skin flaps: an experimental study, 373
Awwad, A. M., White, R. J., Lowe, G. D. O. & Forbes, C. D. The effect of blood viscosity on blood flow in the experimental saphenous flap model, 383
Awwad, A. M., White, R. J., Webster, M. H. C. & Vance, J. P. Effect of naftidrofuryl oxalate (Praxilene) on blood flow in the experimental saphenous flap model, 460

B

Baillie, F. Aplasia cutis congenita of neck and shoulder requiring a skin graft: a case report, 72
Baheti, V., jt. author. *See* Sharpe, D. T.
Bardsley, A. F. & Mercer, D. M. The injured ear: a review of 50 cases, 466
Baruchin, A. M., Mahler, D., Hauben, S. J. & Rosenberg, L. The human caudal appendage (human tail), 120
Bashir, A. H. Inferiorly-based gastrocnemius muscle flap in the treatment of war wounds of the middle and lower third of the leg, 307
Batchelor, A. D. R., Burtles, R., Sutherland, A. B. & Watson, A. C. H. The ventilation of "boxing glove" dressings to reduce skin graft maceration, 531
Batchelor, A. G., Evans, D. M. & Shankar, S. Rectangular excision for malignant melanoma, 176
Bennett, M., jt. author. *See* Sanders, R.
Berger, A., jt. author. *See* Tizian, C.
Biemer, E. & Stock, W. Total thumb reconstruction: a one-stage reconstruction using an osteo-cutaneous forearm flap, 52
Brennen, M. D., jt. author. *See* O'Hare, P. M.
Bunkis, J., jt. author. *See* Walton, R. L.
Burtles, R., jt. author. *See* Batchelor, A. D. R.
Bush, P. G. & Williams, A. J., Incidence of the Robin Anomalad (Pierre Robin syndrome), 434

C

Campbell, G., Otoplasty: something old, something new. Reconstruction of the external ear using fresh cadaver homograft ear cartilage and a sternomastoid myocutaneous flap, 262
Campbell Reid, D. A. The emergence of hand surgery in the United Kingdom: The Gillies Memorial Lecture 1981, 278
Cardoso, E., jt. author. *See* Sharpe, D. T.
Carranza, A., jt. author. *See* Alvarez, G. E.
Casey, T. A., jt. author. *See* Nabil, M.
Cesteleyn, L. M., & Akuamoa-Boateng, E. Surgical correction of mandibular prognathism and functionally stable osteosynthesis of the mandibular body, 16
Chan, C. W., jt. author. *See* Chow, S. P.
Chow, S. P., So, Y. C. & Chan, C. W. Experimental microarterial grafts: freeze-dried allografts versus autografts, 345
Christophorou, M. N. & Nicolaidou, P. Median cleft lip, polydactyly, syndactyly and toe anomalies in a non-Indian infant, 447
Chung, F. F., jt. author. *See* Freedlander, E.
Cormack, G. C. & Lamberty, B. G. H. The anatomical vascular basis of the axillary fascio-cutaneous pedicled flap, 425
Cormack, G. C., jt. author. *See* Lamberty, B. G. H.
Cortes, J. C. G., jt. author. *See* Nieto, C. S.
Cruysberg, J. R. M., jt. author. *See* Nicolai, J-P. A.

D

Davis, P. K. B. Cleft lip nose tip deformity: a tutorial dissertation, 200
Davis, P. K. B. Chin augmentation with rhinoplasty: a tutorial dissertation, 204
Deane, G., jt. author. *See* Evans, D. M.
Desai, S. N. Early cleft palate repair completed before the age of 16 weeks: observations on a personal series of 100 children, 300
Dhami, L. D., jt. author. *See* Thatte, R. L.
Dias, A. D. A bipedicle flap in the correction of burn contractures, 56
Dunscombe, P. B., jt. author. *See* Jones B. M.

E

Earley, M. J. Basal cell carcinoma arising in tattoos: a clinical report of two cases, 258
Escamilla, J. T., jt. author. *See* Alvarez, G. E.
Eshkol, A., jt. author. *See* Tsur, H.
Evans, D. M., Weightman, B. & Deane, G. A new suction-irrigation device: uses in microsurgery and plastic surgery, 273
Evans, D. M., jt. author. *See* Batchelor, A. G.

F

Fenton, O. M. & Gustavson, E. H. An unusual "bilateral" cleft of the lip, 444
Ferguson-Pell, M., jt. author. *See* Reid, W. H.
Fisher, J., Macht, S. & Lange, T. A. Latissimus dorsi myocutaneous free flap vascularised by an extra-anatomic graft in the lower limb following traumatic disruption of the popliteal artery, 480
Flemming, A. F. S., jt. author. *See* Sanders, R.
Forbes, C. D., jt. author. *See* Awwad, A. M.
Freedlander, E. & Chung, F. F. Squamous cell carcinoma of the pinna, 171
Fuentes, J. M., jt. author. *See* Gary-Bobo, A.

G

Gallego, L. L., jt. author. *See* Nieto, C. S.
Gary-Bobo, A. & Fuentes, J. M. Long-term follow-up report on cross-facial nerve grafting in the treatment of facial paralysis, 48
Gilbert, D., jt. author. *See* Katsaros, J.
Ginsburg, M. E., jt. author. *See* Herrera, H. R.
Greenhalgh, R. M., jt. author. *See* Jones, B. M.
Grigor, K. M., jt. author. *See* McGregor, J. C.
Guha, S. C. & Poole, M. D. Stress fracture of the iliac bone with subfascial femoral neuropathy: unusual complications at a bone graft donor site: case report, 305
Gustavson, E. H., jt. author. *See* Fenton, O. M.
Gustavson, E. H., jt. author. *See* Jones, B. M.

H

Harii, K., jt. author. *See* Satoh, T.
Harris, D. L. Self-consciousness of disproportionate breast size: a primary psychological reaction to abnormal appearance, 191
Hauben, S. J., jt. author. *See* Baruchin, A. M.
Heckler, F. R., jt. author. *See* Sultani, F. A.
Henderson, H. P., Matti, B., Laing, A. G., Morelli, S. & Sully, L. Avulsion of the scalp treated by microvascular repair: the use of leeches for post-operative decongestion, 235
Herrera, H. R., Mijangos, J., Weiner, R. S. & Ginsburg, M. E. Mediastinal cutaneous fistulae arising as a complication of major cardiac surgery: the value of sinography and injection of methylene blue in their radical excision and immediate repair, 421
Hiles, R. W., jt. author. *See* Rees, M. J. W.
Ho, L. C. Y. & Lai, M. F. Micro-lymphatic bypass in the treatment of obstructive lymphoedema of the arm: case report of a new technique, 350
Ho, L. C. Y. & Pelly, A. D. Mammaplasty: a technique of comprehensive correction of the ptotic breast, 510
Hopewell, J. W., jt. author. *See* Young, C. M. A.

J

Jackson, I. T., Alexander, J. O'D. & Verheyden, C. N. Self-healing squamous epithelioma: a family affair, 22
Johnson, G. E., jt. author. *See* Schjelderup, H.
Jolleys, A., jt. author. *See* Robertson, N. R. E.
Jones, B. M., Dunscombe, P. B. & Greenhalgh, R. M. Differential thermometry as a monitor of blood flow in skin flaps, 83
Jones, B. M., Sanders, R. & Greenhalgh, R. M. Monitoring skin falps by colour measurement, 88
Jones, B. M. & Gustavson, E. H. Free jejunal transfer for reconstruction of the cervical ocsophagus in children: a report of two cases, 162
Jones, B. M. & Greenhalgh, R. M. The use of the ultrasound Doppler flowmeter in reconstructive microvascular surgery, 245
Jones, B. M., Sanders, R. & Greenhalgh, R. M. Interstitial fluid pressure as a circulatory monitor in skin flaps, 358
Jones, N. F. & Sommerlad, B. C. Reconstruction of the zygoma, temporo-mandibular joint and mandible using a compound pectoralis major osteo-muscular flap, 491

K

Katsaros, J., Gilbert, D. & Russell, R. The use of a combined latissimus dorsi-groin flap as a direct flap for reconstruction of the upper extremity, 67
Kay, S. P. J. & Saad, M. N. Paraffinoma of the male breast: a case report, 522
Khanna, S., jt. author. *See* Tripathi, F. M.
Krolls, S. O., jt. author. *See* Sultani, F. A.

L

Lai, M. F., jt. author. *See* Ho, L. C. Y.
Laing, A. G. Penoscrotal inversion and its management, 124
Laing, A. G., jt. author. *See* Henderson, H. P.
Lam, K. H., jt. author. *See* Wei, W. I.
Lamberty, B. G. H. & Cormack, G. C. Misconceptions regarding the cervico-humeral flap, 60
Lamberty, B. G. H. & Cormack, G. C. The antecubital fascio-cutaneous flap, 428
Lamberty, B. G. H., jt. author. *See* Cormack, G. C.
Lange, T. A., jt. author. *See* Fisher, J.
Leonard, A. G. The forehead flap: minimising the secondary defect by preservation of the frontalis muscle, 322
Leonard, A. G., jt. author. *See* O'Hare, P. M.
Littlewood, A. H. M. & Stilwell, J. H. The vascular features of plexiform neurofibroma with some observations on the importance of pre-operative angiography and the value of pre-operative intra-arterial embolisation, 501
Logan, A. M., jt. author. *See* Piggot, T. A.
Lowe, G. D. O., jt. author. *See* Awwad, A. M.

M

McGregor, I. A. Reconstruction of the lower lip, 40
McGregor, I. A., jt. author. *See* Soutar, D. S.
McGregor, J. C., Wyllie, F. J. & Grigor, K. M. Some anatomical observations on the human placenta as applied to microvascular surgical practice, 387
McIndoe, A. H. Total reconstruction of the burned face. The Bradshaw Lecture 1958, 410
McLean, N. R. & Warren, E. A simple device to encourage the unwilling child to wear a pressure garment, 529
McLeod, P. J., jt. author. *See* Reid, W. H.
McManamny, D. S., Comparison of microscope and loupe magnification: assistance for the repair of median and ulnar nerves, 367
Macht, S., jt. author. *See* Fisher, J.
Mahler, D., jt. author. *See* Baruchin, A. M.
Marshall, D. R. & Slattery, P. G. Intracranial complications of rhinoplasty, 342
Maruyama, X. Y. & Nakajima, H. One-stage reconstruction of a massive buttock and sacro-perineal defect with multiple myocutaneous flaps, 116
Matti, B., jt. author. *See* Henderson, H. P.
Medgyesi, S. A successful operation for lymphoedema using a myocutaneous flap as a "wick", 64
Mercer, D. M. & Studd, D. M. M. "Oyster splint": a new compression device for the treatment of keloid scars of the ear, 75
Mercer, D. M., jt. author. *See* Bardsley, A. F.
Mijangos, J., jt. author. *See* Herrera, H. R.

Mindikoğlu, A. N. & Aktan, K. Recurrent cystosarcoma phylloides of breast: extensive full-thickness excision of chest wall with immediate repair using steel mesh and a latissimus dorsi myocutaneous flap, 519
Mixter, R. C. & Wood, M. B. Closure of defect of the femur with a compound free forearm transfer including both the radius and the ulna, 470
Morelli, S., jt. author. *See* Henderson, H. P.
Morris, A. M., jt. author. *See* Scotland, A. D.
Morrow, N. C., jt. author. *See* Whitlock, M. R.
Moss, A. L. H. Metastatic tumour in the submandibular salivary gland, 79
Moss, A. L. H. Inverted papilloma of the nose: an unusual cause of a medial canthal mass, 254
Moss, A. L. H., jt. author. *See* Reid, C. D.

N

Nabil, M., O'Keefe, M., Romano, J. H. & Casey, T. A. The septum orbitale in ptosis surgery, 507
Nakajima, H., jt. author. *See* Maruyama, X. Y.
Neill, R. S. Regional analgesia combined with intravenous sedation in major eyelid surgery: an alternative to induced hypotension, 29
Nicolai, J-P. A. & Cruysberg, J. R. M. Upper eyelid retraction treated by cross-face free muscle graft: case report, 310
Nicolaidou, P., jt. author. *See* Christophorou, M. N.
Nicolau, P. J. The orbicularis oris muscle: a functional approach to its repair in the cleft lip, 141
Nieto, C. S., Gallego, L. L. & Cortes, J. C. G. Reconstruction of the posterior wall of the pharynx using a myocutaneous platysma flap, 36
Nieuborg, L., jt. author. *See* van Bemmelen, S. P.
Nieuborg, L., jt. author. *See* van Papendrecht, A. H.

O

O'Hare, P. M., Leonard, A. G. & Brennen, M. D. Experience with the tensor fasciae latae free flap, 98
O'Hare, P. M., jt. author. *See* Whitlock, M. R.
O'Keefe, M., jt. author. *See* Nabil, M.
Orticochea, M. The harelipped king: a pre-Colombian ceramic statue over 2000 years old, 392
Orticochea, M. History of the discovery of the musculocutaneous flap method as a universal and immediate substitute for the method of delay, 524

P

Pakiam, A. A reversed-dermis Tagliacotian flap in the reconstruction of a badly burned nose, 485
Palmer, J. & Rees, M. Dog bites of the face: a 15-year review, 315
Patil, D., jt. author. *See* Thatte, R. L.
Patil, U. A., jt. author. *See* Thatte, R. L.
Pelly, A. D., jt. author. *See* Ho, L. C. Y.
Pennington, D. G. Multiple primary melanoma in pregnancy: a case report, 260
Piggot, T. A. & Logan, A. M. Mandibular reconstruction by simple bone graft, 9
Poole, M. D., jt. author. *See* Guha, S. C.
Poole, M. D., jt. author. *See* Ward, M. E.

R

Rees, M. J. W., Sinclair, S. W. & Hiles, R. W. Drilling the walls of an ossified cavity to transmit the vascular pedicle of a myocutaneous free flap, 113
Rees, M., jt. author. *See* Palmer, J.
Reich, J., Mammaplasty with retention of a lower central breast segment, 196
Reid, W. H., McLeod, P. J., Ritchie, A. & Ferguson-Pell, M. Q-Switched ruby laser treatment of black tattoos, 455
Ritchie, A., jt. author. *See* Reid, W. H.
Robertson, N. R. E. & Jolleys, A. An 11-year follow-up of the effects of early bone grafting in infants born with complete clefts of the lip and palate, 438
Robins, D. W. The anaesthetic management of patients undergoing free flap transfer, 231
Romano, J. H., jt. author. *See* Nabil, M.
Rosenberg, L., jt. author. *See* Baruchin, A. M.
Rothaus, K. O. & Acland, R. D. Free flap neo-vascularisation: case report, 348
Russell, R., jt. author. *See* Katsaros, J.

S

Saad, M. N., jt. author. *See* Kay, S. P. J.
Sanders, R., Bennett, M. & Walton, J. N. A multifocal extra-abdominal desmoid tumour, 337
Sanders, R. & Flemming, A. F. S. The adaptation of the "crane principle" to vascularise a free lipo-dermal graft, 488
Sanders, R., jt. author. *See* Jones, B. M.
Sanders, R., jt. author. *See* Whitlock, M. R.
Sandon, R. P. G. The bridge of the nose: a tutorial dissertation, 210
Satoh, T., Tsuchiya, M. & Harii, K. A vascularised iliac musculo-periosteal free flap transfer: a case report, 109
Scheker, L. R., jt. author. *See* Soutar, D. S.
Schjelderup, H. & Johnson, G. E. A 6-year follow-up study of 155 children with cleft lip and palate, 154
Scotland, A. D. & Morris, A. M. The trapezoid flap for the correction of burn scar contractures, 291
Shachar, J., jt. author. *See* Tsur, H.
Shafir, R., jt. author. *See* Tsur, H.
Shankar, S., jt. author. *See* Batchelor, A. G.
Sharpe, D. T., Cardoso, E. & Baheti, V. The immediate mobilisation of patients with lower limb skin grafts, 105
Siemssen, S. J., jt. author. *See* Siemssen, S. O.
Siemssen, S. O. & Siemssen, S. J. Reconstruction of the floor of the orbit following subtotal maxillectomy by transposition of the septal wall as a local flap, 498
Sinclair, S. W., jt. author. *See* Rees, M. J. W.
Slattery, P. G., jt. author. *See* Marshall, D. R.
So, Y. C., jt. author. *See* Chow, S. P.
Sommerlad, B. C., jt. author. *See* Jones, N. F.
Soutar, D. S., Scheker, L. R., Tanner, N. S. B. & McGregor, I. A. The radial forearm flap: a versatile method for intra-oral reconstruction, 1
Stevenson, J. H., Parotid duct transection associated with facial trauma: experience with 10 cases, 81
Stilwell, J. H., jt. author. *See* Littlewood, A. H. M.
Stock, W., jt. author. *See* Biemer, E.
Studd, D. M. M., jt. author. *See* Mercer, D. M.
Sully, L., jt. author. *See* Henderson, H. P.

Sultani, F. A., Krolls, S. O. & Heckler, F. R. Cartilaginous choristoma of buccal mucosa: a case report, 395
Sumrani, N. B., jt. author. *See* Abu Jamra, F. N.
Sutherland, A. B., jt. author. *See* Batchelor, A. D. R.

T

Talwar, P., jt. author. *See* Thatte, R. L.
Tanner, N. S. B., jt. author. *See* Soutar, D. S.
Thatte, R. L., Dhami, L. D. & Patil, U. A. De-epithelialised turn-over flaps for "salvage" operations, 178
Thatte, R. L., Patil, D. & Talwar, P. De-epithelialised "turn over" axial-pattern flaps in the lower extremity, 327
Tizian, C., Berger, A. & Vykoupil, K. F. Malignant degeneration in Madelung's disease (benign lipomatosis of the neck): case report, 187
Tolhurst, D. E. Secondary correction of the unilateral cleft lip nose deformity, 449
Too-Chung, M. A. The assessment of middle ear function and hearing by tympanometry in children before and after early cleft palate repair, 295
Tripathi, F. M. & Khanna, S. Accessory scrotum: a case report, 127
Tsuchiya, M., jt. author. *See* Satoh, T.
Tsur, H., Shafir, R., Shachar, J. & Eshkol, A. Microphallic hypospadias: testosterone therapy prior to surgical repair, 398

V

Vance, J. P., jt. author. *See* Awwad, A. M.
van Bemmelen, S. P., van Papendrecht, A. H. & Nieuborg, L. Evaluation of the patency of microvenous anastomoses by phlebography after intramedullary injection of constrast material, 463
van Bemmelen, P., jt. author. *See* van Papendrecht, A. H.
van Papendrecht, A. H., van Bemmelen, P. & Nieuborg, L. Haemodynamics in microarterial stenosis: an experimental study in rats using the Doppler technique, 95
van Papendrecht, A. H., jt. author. *See* van Bemmelen, S. P.
Verheyden, C. N., jt. author. *See* Jackson, I. T.
Vykoupil, K. F., jt. author. *See* Tizian, C.

W

Walton, J. N., jt. author. *See* Sanders, R.
Walton, R. L. & Bunkis, J. A free occipital hair-bearing flap for reconstruction of the upper lip, 168
Ward, M. E. & Poole, M. D. An anaesthetic technique for cross-face nerve grafting, 51
Warren, E., jt. author. *See* McLean, N. R.
Watson, A. C. H., jt. author. *See* Batchelor, A. D. R.
Watson, J. S. Reconstruction of the anterior abdominal wall above the umbilicus using a tensor fasciae latae myocutaneous island flap, 334
Webster, M. H. C., jt. author. *See* Awwad, A. M.
Wei, W. I., Lam, K. H. & Wong, J. Use of the Yarsagil aneurysmal clamp for end-to-side microvascular anastomosis: an experimental study in rats, 363
Weightman, B., jt. author. *See* Evans, D. M.
Weiner, R. S., jt. author. *See* Herrera, H. R.
Welsh, F., The alar cartilage morseler: a new instrument, 483
White, R. J., jt. author. *See* Awwad, A. M.
Whitlock, M. R., O'Hare, P. M., Sanders, R., & Morrow, N. C. The medicinal leech and its use in plastic surgery: a possible cause for infection, 240
Williams, A. J., jt. author. *See* Bush, P. G.
Wong, J., jt. author. *See* Wei, W. I.
Wood, M. B., jt. author. *See* Mixter, R. C.
Wyllie, F. J., jt. author. *See* McGregor, J. C.

Y

Young, C. M. A. & Hopewell, J. W. The isotope clearance technique for measuring skin blood flow, 222